HISTORIC PRESERVATION COMMISSION MEETING AGENDA

Wednesday, October 12, 2022 at 6:00 PM

City Hall Council Chambers, 35 Cabarrus Avenue West

- 1. CALL TO ORDER Chair
- 2. ORDER OF BUSINESS Chair (Ask Staff if there are any adjustments to agenda)
- 3. INTRODUCTIONS *Chair and Commissioners* (give your name for the record)
- 4. APPROVAL OF MINUTES *Motion*, *second*, *and vote needed*.
- 5. SWEARING IN OF WITNESSES Chair
- 6. OLD BUSINESS Chair
- 7. NEW BUSINESS

H-21-22 (Quasi-Judicial Hearing)

Collin and Mary Cannon Frye have submitted a Certificate of Appropriateness application in order to install a new 3.0' tall wooden side porch gate, install a new 4.0' tall wooden front yard fence and gate, paint exterior brick on the primary structure, and install a new front yard gas lantern and post at 269 Union St S. PIN 5630-05-9641.

- a. Open Public Hearing by Motion Motion, second, and vote needed.
- b. Staff Presentation
- c. Applicant's Testimony
- d. Other Testimony
- e. Close Public Hearing by Motion Motion, second, and vote needed.
- f. Approve Findings of Fact by Motion Motion, second, and vote needed.
- g. Approve Conclusions of Law by Motion Motion, second, and vote needed.
- h. Approve/Deny Conditions and Permit by Motion Motion, second, and vote needed.

H-22-22 (Quasi-Judicial Hearing)

Mark and Marcia Lewis have submitted a Certificate of Appropriateness application in order to replace an existing 4.0' tall wooden rear yard fence and gate with a new 6.0' tall wooden shadow box fence and gate at 356 Union St S. PIN 5630-14-3640.

- a. Open Public Hearing by Motion Motion, second, and vote needed.
- b. Staff Presentation
- c. Applicant's Testimony
- d. Other Testimony
- e. Close Public Hearing by Motion Motion, second, and vote needed.
- f. Approve Findings of Fact by Motion Motion, second, and vote needed.
- g. Approve Conclusions of Law by Motion *Motion, second, and vote needed.*
- h. Approve/Deny Conditions and Permit by Motion Motion, second, and vote needed.

STAFF UPDATES/DISCUSSIONS

Handbook Updates

a. Discuss Date for Committee's Initial Meeting

8. ADJOURNMENT

In accordance with ADA Regulations, please note that anyone who needs an accommodation to participate in the meeting should notify Planning & Neighborhood Development Department at 704/920-5152 at least twenty-four (24) hours prior to the meeting.



Historic Preservation Commission

DATE: October 12, 2022

SUBJECT:

Certificate of Appropriateness Request: H-21-22

Applicants: Collin and Mary Cannon Frye

<u>Location of Subject Property:</u> 269 Union St S <u>PIN:</u> 5630-05-9641

<u>Staff Report Prepared by:</u> Brad Lagano, Senior Planner

BACKGROUND

• The subject property at 269 Union St S is designated a "Contributing" structure in the South Union Street Historic District (ca. 1921-27) (Exhibit A).

- "Most distinctive small bungalow in the S. Union St. district. Clipped gable-front roof, with clipped gables on side elevations. All three gables embellished with half-timbering, well-executed, hiproofed porch occupying southern (right) facade bay consists of brick piers rising from paneled, concrete-trimmed brick bases to a wooden frieze trimmed with curved brackets. Tuscan columns supporting the shallow entrance canopy adjoining this porch add a note a classicism of this eclectic design" (Exhibit A).
- Applicants' requested modifications: install a new 3.0' tall wooden side porch gate, a new 4.0' tall front yard wooden fence and gate, to paint exterior brick on the primary structure, and to install a new front yard gas lantern and post (Exhibit B).

DISCUSSION

On August 10, 2022, Collin and Mary Cannon Frye applied for a Certificate of Appropriateness under Concord Development Ordinance (CDO) §9.8 to install a new 3.0' tall wooden side porch gate, a new 4.0' tall front yard wooden fence and gate, to paint exterior brick on the primary structure, and to install a new front yard gas lantern and post (Exhibit B).

Part 1 - New Side Porch Gate

The applicants propose to install a new approximately 4.0' wide by 3.0' tall wooden gate on the right side of the porch at the top of the existing side porch steps and between the two existing approximately 19.0" tall brick columns. There are two approximately 1.0" wide gaps on the far side of each brick column that will be closed with additional wood matching the style of the proposed gate as well as the approximately 19.0" height of the two brick columns. The gate and additional wood closures will be painted white on both sides to match the house trim and the rest of the front yard fencing.

Part 2 - New Front Yard Fence and Gate

The applicants propose to install a new front yard wooden fence and gate extending from the existing toptier brick planter on the left side of the front yard to the right-side corner of the front yard porch. The front yard fence will be approximately 92.0' feet long and 4.0' tall from beginning to end. The front yard fence gate will be approximately 3.0' wide by 4.0' tall at its highest peak and stretch across the existing walkway leading to the front porch steps. The fence posts will be approximately 4.0" wide by 4.0" deep with decorative ball caps while the fence pickets will be approximately 2.75" wide and spaced approximately 2.0" apart. The fence and gate will be painted white on both sides to match the house trim.

Part 3 - Paint Exterior Brick on the Primary Structure

The applicants propose to paint the exterior brick on the house due to previously installed areas of mismatched brick on the left side and bottom rear of the structure. The left side mismatched section appears to be the result of a vertical window being replaced with a smaller horizontal transom window. The replacement bricks were painted a dull red color and have a smooth texture compared to the original bricks retaining a much rougher texture. The bottom rear mismatched section is larger with the reason for using replacement bricks unclear. The replacement bricks are better matched here than the side of the house, however the coloring and smoother texture still casts a disparate appearance. The proposed paint would be white to match the existing trim color as well as the new fence and gate color to tie the property modifications together.

Part 4 - New Front Yard Gas Lantern and Post

The applicants propose to install a new gas lantern and post in the left front yard approximately 3.0' from the sidewalk towards the house and approximately 2.0' left from the existing walkway leading to the front porch steps. The proposed gas lantern dimensions will be 13.5" wide by 26.0" tall by 13.5" deep with a brass finish. The proposed post dimensions will be 3.0' wide by 7.0' tall with a black metal finish.

ATTACHMENTS

Exhibit A: National Register of Historic Places Inventory

Exhibit B: Certificate of Appropriateness Application

Exhibit C: Subject Property Map

Exhibit D: Proposed Front Yard Side Porch Gate

Exhibit E: Proposed Front Yard Site Sketch, Fence and Gate

Exhibit F: Photos of Mismatched Brick on Primary Structure

Exhibit G: Proposed Front Yard Gas Lantern and Post

HISTORIC HANDBOOK DESIGN RECOMMENDATIONS

Approval Requirement Needs Table: Porches

• Removal of porches, adding a new porch, altering the porch, or enclosing the porch require Commission Hearing and Approval.

Chapter 5 – Section 6: Porches

- The enclosure of original porches, particularly front porches, should be avoided.
- Enclosing original side and rear porches with solid walls should also be avoided.
- Design Standards: Porches
 - 1. Enclosures of side or rear porches and balconies is discouraged. If enclosure of a side or rear porch is required for a new use, design the enclosure so that the historic character and features of the porch are preserved.

Approval Requirement Needs Table: Fencing and Gates

• Replacing or repair of existing with alternate materials and all other types of fencing and gates require Commission Hearing and Approval.

Chapter 5 – Section 9: Fences and Walls

- Chain link, basket weave, plastic/vinyl, and split-rail fences are prohibited within the historic districts
- The style of fence should respond to the historic nature of the property. All wooden fences should be "stick-built" on site.

- Wooden fences visible from the street and/or wooden fences in front and side yards of corner lots are required to be painted or stained white or a color matching the body or trim of the structure.
- Painting or staining is recommended, but not required, for rear yard fences unless they are visible from the street.
- Rear yard fences are defined as fences which do not extend forward on the applicant's property beyond the side centerline of the house in plain view. Approval of the location may also be handled on a case-by-case basis to determine the best natural break in the rear and front yards for placement of fences.
- Rear yard fences may be higher than four (4) feet.
- The portions of rear yard fences that face the street should be landscaped with shrubs and trees of a planting size that will fully hide the fence from the street within two (2) years.
- All proposed fences and walls should not negatively affect existing trees and mature landscaping.
- <u>Design Standards: Fences and Walls</u>
 - 1. Use materials such as natural stone, brick, wood, powder coated aluminum and iron.
 - 2. Chain link or plastic materials are prohibited.
 - 3. Materials and style should coordinate with building and neighborhood buildings as well as other walls and fences in the area.

Approval Requirement Needs Table: Painting and Coating

• Paint colors for new construction or painting unpainted masonry - stone, brick, terra cotta - require Commission hearing and approval.

Chapter 5 – Section 9: Fences and Walls & Appendix A – Secretary of the Interior's Standards for Rehabilitation

- Where walls are concerned, natural stone or brick-masonry walls are encouraged and should not be coated or painted.
- Applying paint or other coatings such as stucco to masonry that has been historically unpainted or uncoated to create a new appearance is not recommended.

Approval Requirement Needs Table: Lighting (Exterior)

• Removal or altercation of significant architectural features OR additions of permanent, general illumination fixtures within public view requires Commission hearing and approval.

Chapter 5 – Section 11: Lighting and Transformers

- Residential lighting is historically minimal.
- Removal of historic light fixtures is inappropriate.
- <u>Design Standards: Lighting and Transformers</u>
 - 1. Do not concentrate light on facades and avoid casting light on surrounding properties.
 - 2. Do not use fixtures which are incompatible with existing details, styles, etc.

RECOMMENDATION:

- 1. The Historic Preservation Commission should consider the circumstances of this application for a Certificate of Appropriateness relative to the <u>North and South Union Street Historic Districts Handbook and Guidelines</u> and act accordingly.
- 2. If approved, applicant(s) should be informed of the following:

- City staff and Commission will make periodic on-site visits to ensure the project is completed as approved.
- Completed project will be photographed to update the historic properties survey.

United States Department of the InteriorNational Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

Continuation sheetItem numberPageInventory List - South Union Street#731Historic District, Concord

72. House 265 S. Union St. 1921-1927 (SM)

Well-preserved, one-and-a-half story bungalow. Broad side gable roof trimmed with simple brackets engages full facade porch. Roof pierced by gable-roofed dormer with pair of 3/1 sash windows. Porch has slightly tapered wood columns rising from brick bases and a balustrade. Windows have 9/1 sash.

73. Zeb Thornburgh House 269 S. Union St. 1921-1927 (SM)

Most distinctive small bungalow in the S. Union St. district. Clipped gable-front roof, with clipped gables on side elevations. All three gables embellished with half-timbering, well-executed, hip-roofed porch occupying southern (right) facade bay consists of brick piers rising from paneled, concrete-trimmed brick bases to a wooden frieze trimmed with curved brackets. Tuscan columns supporting the shallow entrance canopy adjoining this porch add a note of classicism of this eclectic design.

74. House 274 S. Union St. ca. 1970

One-story blond brick ranch style house with low hip roof and gable roofed front porch.

75. Paul B. Means House 287 S. Union St. ca. 1890 P

Two-story, frame residence with Italianate and Queen Anne details whose Colonial Revival porches appear to be early twentieth century replacements. The oldest and one of the finest two-story frame houses built along S. Union St. in a dispersed, semi-rural pattern during the 1890-1910 period. Projecting, two-story gable occupies southern (right) facade bay, and there are one-story projecting bays on both



AN INCOMPLETE APPLICATION WILL NOT BE PLACED ON THE AGENDA UNTIL ALL OF THE REQUIRED ATTACHMENTS AND/OR ITEMS LISTED ON PAGE 2 ARE SUBMITTED.

APPLICANT INFORMATION
Name: Mam Cannon + Collin Frye
Address: 2001 UNION St. S.
City: CONCOR A State: C Zip Code: 68005 Telephone: 104-425-0353
,
OWNER INFORMATION
Name: Mary Counnon + Collin Frye Address: 269 union St. S.
Address: 269 which St. S.
City: <u>CONCORD</u> State: <u>NC</u> Zip Code: <u>28025</u> Telephone: <u>704-425-0353</u>
SUBJECT PROPERTY
Street Address: 200 UNION ST. S. P.I.N. # 50300591041000
Street Address: DV 1001 11.11.11.11.11.11.11.11.11.11.11.11.11
Area (acres or square feet): . 2233 Current Zoning: H12 Land Use: NeSidentia
Staff Use Only:
Application Received by:Date:, 20
Fee: \$20.00 Received by:
The application fee is nonrefundable.



ligh Performance Living

Certificate of Appropriateness

General Requirements

Please note: the applicants amended the COA Application via email dated September 6, 2022 to add the proposed gas lantern and post to the project.

The Unified Development Ordinance imposes the following rules, regulations and requirements on requests for Certificates of Appropriateness. The applicant must, with reference to the attached plans, demonstrate how the proposed use satisfies these requirements:

1. Project or Type of Work to be Done: (1) Funing in front yava
(2) paint brick extenor
2. Detailed specifications of the project (type of siding, windows, doors, height/style of fence, color, etc.):
(1) Ollet tind punted came united
MONST 1/11) 14 MIGH, PICKERS 2314", POSTS 4" x 4;
trong and side gate:
(2) Paint bhoi saine white or trim 10
COVER MIXITURED CARCE

Required Attachments/Submittals

- 1. Scaled site plan, if additions or accessory structures are proposed, on letter, legal or ledger paper. Larger sized copies will be accepted. **Digital copies are preferred.**
- 2. Detailed written description of the project.
- 3. Photographs of site, project, or existing structures from a "before" perspective.
- 4. Drawings, sketches, renderings, elevations, or photographs necessary to present an illustration of the project from an "after" perspective if applicable.
- 5. Samples of windows, doors, brick, siding, etc. must be submitted with application.
- 6. Detailed list of materials that will be used to complete the project.

Certification

(1) I hereby acknowledge and say that the information contained herein and herewith is true and that this application shall not be scheduled for official consideration until all of the required contents are submitted in proper form to the City of Concord Development Services Department. (2) I understand that City staff and/or members of the Historic Preservation Commission may make routine visits to the site to insure that work being done is the same as the work that was approved. (3) I understand that photographs of the completed project will be made to update the City's historic districts inventory database.

Date

ignature of Owner/Agent

Thank you.

Brad J. Lagano Economic Development Manager City of Concord | 704-920-5155 | laganob@concordnc.gov

From: Mary Cannon Frye <marycannonfrye@gmail.com>

Sent: Tuesday, September 6, 2022 1:44 PM **To:** Brad Lagano <laganob@ConcordNC.gov>

Subject: Re: H-21-21 - 269 Union St S - COA Application - Fence/Brick

CAUTION: This email originated from outside the City of Concord. Do not click links or open attachments unless you recognize the sender and know the content is safe!

Hi Brad -

One thing we want to add to our request is a light post.

It would be 6' in from the sidewalk and 6' in from our walkway on the left side when looking at the house.

I'll attach a picture but let me know if there's any other info I need to pass along to get this added.




Thank you!



H-21-22

269 Union St S

PIN: 5630-05-9641






Source: City of Concord Planning Department


Disclaimer

These maps and products are designed for general reference only and data contained herein is subject to change. The City Of Concord, it's employees or agents make no warranty of merchantability or fitness for any purpose, expressed or implied, and assume no legal responsibility for the information contained therein. Data used is from multiple sources with various scales and accuracy. Additional research such as field surveys may be necessary to determine actual conditions.


H-21-22 EXHIBIT C


H-21-22 Proposed Front Yard Side Porch Gate







H-21-22 Proposed Front Yard Site Sketch, Fence, and Gate












H-21-22 Photos of Mismatched Brick


Left Side of the House







Rear Bottom Portion of the House






H-21-22 EXHIBIT F





H-21-22 EXHIBIT F



Charleston

Collection

CH - 20

post mount

26h x 13.5w x 13.5d

ELECTRIC OPTIONS

- ✓ Medium Base Socket
- ✓ Frosted Chimney
- ✓ Single Brass Candle
- ✓ Single Brass Tall Candle
- 2 Light Brass Cluster 2 Light Tall Brass Cluster
- ✓ 3 Light Brass Cluster
- ☑ Drip Candle Covers

GAS OPTIONS

- ✓ Single Brass Burner ✓ Double Brass Burner
- ☐ Triple Brass Burner
- ✓ Extra Tall Burner
- ✓ LP Brass Burner
- ✓ Palmetto Flame Brass Burner
- ☑ Bat Flame Brass Burner
- ☐ Hidden Gas Line

GLASS OPTIONS

- ▼ Tempered Clear
- ✓ Seeded
- ✓ Artique

ACCESSORIES

- ✓ Copper Panels
- ▼ Top Copper Ring ☑ Brass Cross Bars
- ☑ Copper Cross Bars
- ☐ Top Loop
- ☐ Full Scroll
- Backward Scroll
- ☐ Side Scrolls
- ☐ Down Scrolls
- ☐ Top Loop Hanger ✓ Wall Bracket WBC
- ☐ Wall Yoke
- □ Extender Bracket
- ☐ Top Mount
- ☐ Top Hole Backplate
- Pier Mount
- Pier Mount Cover

FINISHES

- ✓ Solid Copper
- ✓ Aged Bronze
- ✓ Powder Coated Black

000

13.50

STANDARD FEATURES

Solid Copper Tempered Clear Glass Electric: Medium Base Socket Gas: Single Brass Burner Mounts on Standard Poles or Pier Mounts of 3" Diameter


* Shown with Standard Single Brass Burner



a brilliant first impression

2041 South Blvd. Suite C, Charlotte, NC 28203 - 704.333.5088 buyfrom@lanternandscroll.com







DATE: October 12, 2022

SUBJECT:

Certificate of Appropriateness Request: H-22-22

Applicants: Mark and Marcia Lewis

<u>Location of Subject Property:</u> 356 Union St S <u>PIN:</u> 5630-14-3640

Staff Report Prepared by: Brad Lagano, Senior Planner

BACKGROUND

• The subject property at 356 Union St S is designated as a "Fill" structure in the South Union Street Historic District (ca. 1970) (Exhibit A).

- "One-story brick ranch-style residence" (Exhibit A).
- Fill structures are those properties which were constructed on single or scattered site undeveloped lots in established neighborhoods, after the period of significance of the more important structures, but prior to official establishment of the District.
- Applicants' requested modification: replace an existing 4.0' tall wooden rear yard fence and gate with a new 6.0' tall wooden shadow box fence and gate (Exhibit B).

DISCUSSION

On August 31, 2022, Mark and Marcia Lewis applied for a Certificate of Appropriateness under Concord Development Ordinance (CDO) §9.8 to replace an existing 4.0' tall wooden rear yard fence and gate with a new 6.0' tall wooden shadow box fence and gate (Exhibit B).

The existing 4.0' tall wooden rear yard fence and gate extends approximately 33.0' from the rear of the house to the brick wall running along the rear property line and runs parallel to Tribune Ave SW. There is angled mesh screening on the top of the existing fence and gate to prevent the applicants' cats from climbing over. The existing gate dimensions are approximately 4.0' tall by 4.0' wide.

The proposed 6.0' tall wooden dog-ear shadow box style fence will be built on site and stained a medium brown on both sides. It will mirror the existing fence's approximate 33.0' length and connect to the existing brick wall running along the rear property line. An approximately 6.0' by 4.0' wide gate will serve as the entry point. The new fence will be moved closer to the road by less than 1.0' to provide additional space between the new fence and existing planter for easier access around the latter.

The existing landscaping in front of the existing fence will be retained to help hide the majority of the new fence and gate from view along Tribune Ave SW.

ATTACHMENTS

Exhibit A: National Register of Historic Places Inventory

Exhibit B: Certificate of Appropriateness Application

Exhibit C: Subject Property Map

Exhibit D: Photos of Existing Rear Yard Fence and Gate

Exhibit E: Property Survey Exhibit F: Proposed Site Sketch

Exhibit G: Proposed Fence and Gate Specification Sheet and SOW

HISTORIC HANDBOOK DESIGN RECOMMENDATIONS

Approval Requirement Needs Table: Fencing and Gates

• Replacing or repair of existing with alternate materials and all other types of fencing and gates require Commission Hearing and Approval.

Chapter 5 – Section 9: Fences and Walls

- Chain link, basket weave, plastic/vinyl, and split-rail fences are prohibited within the historic districts.
- The style of fence should respond to the historic nature of the property. All wooden fences should be "stick-built" on site.
- Wooden fences visible from the street and/or wooden fences in front and side yards of corner lots are required to be painted or stained white or a color matching the body or trim of the structure.
- Painting or staining is recommended, but not required, for rear yard fences unless they are visible from the street.
- Rear yard fences are defined as fences which do not extend forward on the applicant's property beyond the side centerline of the house in plain view. Approval of the location may also be handled on a case-by-case basis to determine the best natural break in the rear and front yards for placement of fences.
- Rear yard fences may be higher than four (4) feet.
- The portions of rear yard fences that face the street should be landscaped with shrubs and trees of a planting size that will fully hide the fence from the street within two (2) years.
- All proposed fences and walls should not negatively affect existing trees and mature landscaping.
- Design Standards: Fences and Walls
 - 1. Use materials such as natural stone, brick, wood, powder coated aluminum and iron.
 - 2. Chain link or plastic materials are prohibited.
 - 3. Materials and style should coordinate with building and neighborhood buildings as well as other walls and fences in the area.

RECOMMENDATION:

- 1. The Historic Preservation Commission should consider the circumstances of this application for a Certificate of Appropriateness relative to the <u>North and South Union Street Historic Districts</u> Handbook and Guidelines and act accordingly.
- 2. If approved, applicant(s) should be informed of the following:
 - City staff and Commission will make periodic on-site visits to ensure the project is completed as approved.
 - Completed project will be photographed to update the historic properties survey.



AN INCOMPLETE APPLICATION WILL NOT BE PLACED ON THE AGENDA UNTIL ALL OF THE REQUIRED ATTACHMENTS AND/OR ITEMS LISTED ON PAGE 2 ARE SUBMITTED.

APPLICANT INFORMATION	
Name: MARK & MARCIA LEWIS	
Address: 356 Union Street S	
City: (b ncord State: MC Zip Code; 28025 Telephone: 6/0 248 0/0	89
Email: M/ewis 7789@gmail.com	
OWNER INFORMATION .	
Name: Mark & MARCIA LEWIS	
Address: 356 Union Shoot S	the state of the s
City: Concord State: NC Zip Code: 28025 Telephone: 610 248 018	39
Email: M lewis 7789@ gmout. com	
SUBJECT PROPERTY	
	10.61
A. 1.1.1. "	<u>36400000</u>
Area (acres or square feet): • 32 AC Current Zoning: RM - 2 Land Use: 0/0	X)
	T.
Staff Use	
Only:	
Application Received by:Date:	0
Fee: \$20.00 Received by:)
The application fee is nonrefundable.	
	The state of the s



General Requirements

The Unified Development Ordinance imposes the following rules, regulations and requirements on requests for Certificates of Appropriateness. The applicant must, with reference to the attached plans, demonstrate how the proposed use satisfies these requirements:

Petailed specifications of the project (type of siding, wi	ndows, doors, height/style of fence, color, etc.):
Detailed specifications of the project (type of siding, wi 2 <u>move and replace 34" with gale</u> 41th 34' with gale by 72" high	48" high arxed pickert Long
with 34' with oak by 72" high	woold "shadow box "tupe.
ence. See defails affactors	

Required Attachments/Submittals

1. Scaled site plan, if additions or accessory structures are proposed, on letter, legal or ledger paper. Larger sized copies will be accepted if 16 folded copies are submitted for distribution.

2. A photograph of the front of the house.

- Photographs of site, project, or existing structures from a "hefore" perspective.
- 4. Drawings, sketches, renderings, elevations, or photographs necessary to present an illustration of the project from an "after" perspective.
- 5. Samples of windows, doors, brick, siding, etc., may be submitted withapplication.

6. Detailed list of materials that will be used to complete the project.

***Applications may be submitted electronically, ***

Certification

(1) I hereby acknowledge and say that the information contained herein and herewith is true and that this application shall not be scheduled for official consideration until all of the required contents are submitted in proper form to the City of Concord Development Services Department. (2) I understand that City staff and/or members of the Historic Preservation Commission may make routine visits to the site to insure that work being done is the same as the work that was approved. (3) I understand that photographs of the completed project will be made to update the City's historic districts inventory database.


Signature of Owner/Agent

Please note - application was amended on 10/4/22 to include applicant's signature

Planning & Neighborhood Development
35 Cabarrus Ave W P. O. Box 308 Phone (704) 920-5152 Fax (704) 920-6962 www.concordno.gov

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form



Continuation sheet	Item number	Page	
Inventory List - South Union Street	#7	12	
Historic District, Concord			

13. House 374 S. Union St. ca. 1905

Somewhat altered, one-and-a-half story, double-pile of frame construction similar in form to #12. At an undetermined date, probably during the 1920-1940 period, the attic was converted to living space and dormers were installed on the front and side elevations of the house. The gable-roofed facade dormer has tall casement windows that detract from the character of the house. The hip-roofed dormer on the south (left) elevation has 3/1 bungalow sash windows that suggest the date of the attic's conversion.

14. House 368 S. Union St. ca. 1905

One-story, double-pile, frame cottage with a high, nearly pyramidal hip roof. This house resembles inv. #5, 12 and 13, but retains more of its original Queen Anne style trim. Remaining details include sawn ornament in the projecting gable of the south (left) facade bay, and the chamfered posts with decorative brackets that support the full-facade porch.

15. House 362 S. Union St. ca. 1905

One-story, double-pile cottage nearly identical to inv. #14; only significant difference is that porch wraps around to shelter one bay of north (right) elevation. This may well have been the original configuration of the porch at 368 S. Union St.

16. House 356 S. Union St. ca. 1970 F

One-story brick ranch-style residence.



AN INCOMPLETE APPLICATION WILL NOT BE PLACED ON THE AGENDA UNTIL ALL OF THE REQUIRED ATTACHMENTS AND/OR ITEMS LISTED ON PAGE 2 ARE SUBMITTED.

APPLICANT INFORMATION	
Name: MARK & MARCIA LEWIS	
Address: 356 Union Street S	
City: (b ncord State: MC Zip Code; 28025 Telephone: 6/0 248 0/0	89
Email: M/ewis 7789@gmail.com	
OWNER INFORMATION .	
Name: Mark & MARCIA LEWIS	
Address: 356 Union Shoot S	the state of the s
City: Concord State: NC Zip Code: 28025 Telephone: 610 248 018	39
Email: M lewis 7789@ gmout. com	
SUBJECT PROPERTY	
	10.61
A. 1.1.1. "	<u>36400000</u>
Area (acres or square feet): • 32 AC Current Zoning: RM - 2 Land Use: 0/0	X)
	T.
Staff Use	
Only:	
Application Received by:Date:	0
Fee: \$20.00 Received by:)
The application fee is nonrefundable.	
	The state of the s



General Requirements

The Unified Development Ordinance imposes the following rules, regulations and requirements on requests for
Certificates of Appropriateness. The applicant must, with reference to the attached plans, demonstrate how the
proposed use satisfies these requirements:


1.	Project or Type of Work to be Done: Varhal backgard fonce replacement
2. 1 1	Petailed specifications of the project (type of siding, windows, doors, height/style of fence, color, etc.): Kemove and replace, 34" with gale, 48" high woold "shadow box" type Lence. See defails affached
1. 2. 3. 4. 5. 6.	Required Attachments/Submittals Scaled site plan, if additions or accessory structures are proposed, on letter, legal or ledger paper. Larger sized copies will be accepted if 16 folded copies are submitted for distribution. A photograph of the front of the house. Photographs of site, project, or existing structures from a "before" perspective. Drawings, sketches, renderings, elevations, or photographs necessary to present an illustration of the project from an "after" perspective. Samples of windows, doors, brick, siding, etc., may be submitted withapplication. Detailed list of materials that will be used to complete the project. ***Applications may be submitted electronically.***
(1) sha Cit Pre tha	Thereby acknowledge and say that the information contained herein and herewith is true and that this application all not be scheduled for official consideration until all of the required contents are submitted in proper form to the y of Concord Development Services Department. (2) I understand that City staff and/or members of the Historic servation Commission may make routine visits to the site to insure that work being done is the same as the work t was approved. (3) I understand that photographs of the completed project will be made to update the City's historic tricts inventory database. Signature of Owner/A gent
	Date Signature of Owner/Agent



H-22-22

356 Union St S

PIN: 5630-14-3640





Source: City of Concord Planning Department


Disclaimer

These maps and products are designed for general reference only and data contained herein is subject to change. The City Of Concord, it's employees or agents make no warranty of merchantability or fitness for any purpose, expressed or implied, and assume no legal responsibility for the information contained therein. Data used is from multiple sources with various scales and accuracy. Additional research such as field surveys may be necessary to determine actual conditions.


H-22-22 EXHIBIT C


H-22-22 Existing Rear Yard Fence and Gate











H-22-22 EXHIBIT F



7427 Matthews Mint Hill Road Suite 105 PMB 365 Mint Hill, NC 28227 704-569-3445 www.championfenceinc.com

lencepros or the Carolin	105 - FI	oposai	
Date: 08/26/22	(quote good	d for 30 days)	
Customer: Mark Lewis			
Address: 356 Union St S	South		
City: Concord Sta	ite: NC	Zip : 28025	
Subdivision:	Coun	ty: <u>Cabarrus</u>	
Phone: 1 610-248-0189	2		

_					
О	n	ti	0	n	-1
$\overline{}$	\sim		$\overline{}$		

Installation of 33' of 6' tall wood dog ear shadowbox 1 single gate @ 4' wide 2 core drill holes in concrete (will have to remove brick paver for coredrilling)

A.			B	
	Total (\$): 1827.00		Total (\$):	

Option 2

Stain and seal of fencing in option 1 or 2 (both sides)

Enjoy a 5% discount on these services when booked together!

Option 3

Remove and haul away 33' of existing wood fence

A.		В	
	Total (\$): 132.00	Total (\$):	

*This is for a straight line only. If the fence line changes then price may go up due to needing more

posts and 2x4s*



Email: mlewis7789@gmail.com

REVISED

*all posts set in concrete
*pressure treated pine
*stick built on site
*we do not paint - ask about
our stain & seal

4:36 pm, Aug 29, 2022



This quote was compiled using:

*Customer Specs/ *Survey/ *Satellite Technology Upon scheduling, a supervisor may visit your job site to confirm measurements.

Additional charges that may apply:

*Removal/*Haul away of existing fence

*Clearing for fence line/*Core drilling/*Sloped Gate

Notes / Directions

Customer to check with historical society
Do not install until confirmed
Customer to trim bushes back and tie back flowers

Bk to start crew ***

A 50% DEPOSIT IS REQUIRED TO SCHEDULE ALL JOBS. FINAL PAYMENT IS DUE UPON DAY OF COMPLETION. When paying with check or cash, the customer shall make arrangements to be on site to pay the crew for the balance due when finished. When paying with credit card, the card on file will be charged for the balance when the crew is finished. Champion Fence provides a LIFETIME warranty on workmanship. CF provides LIFETIME residential gate adjustments for FREE, commercial/community gates not included. CF does not warranty any materials. All wood products are treated for outdoor conditions. CF guarantees that wood will always split, crack, fade, shrink, and warp. Therefore, CF is not responsible for splitting, cracking, fading, shrinking or warping of wood. CF is not responsible financially or otherwise for any damage done to phone lines, to cable lines, gas lines, electrical lines, water lines, irrigation systems, or invisible fence lines. The customer assumes full responsibility for the location of the fence. CF is not in any way liable for compensation due to the re-scheduling of your installation date. The customer will be assessed a 20% penalty for cancellation of the job once materials are ordered.

	Carissa Gork
Customer Signature	Contractor Signature

